

































PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH
 <p>37° CAP</p>		 <p>37° TUBE NUT</p>		 <p>(1) MALE PIPE (2) FEMALE PIPE SWIVEL</p>	
SS304-C-4	9.07	SS318-2	4.98	SS1404-2-2	86.34
SS304-C-5	20.80	SS318-3	4.98	SS1404-4-4	55.58
SS304-C-6	10.44	SS318-4	4.24	SS1404-6-6	80.71
SS304-C-8	14.27	SS318-5	6.64	SS1404-8-8	102.27
SS304-C-10	38.13	SS318-6	5.56	SS1404-12-8	259.30
SS304-C-12	49.07	SS318-8	8.42	SS1404-12-12	125.60
SS304-C-16	77.80	SS318-10	16.91	SS1404-16-16	197.85
SS304-C-20	127.96	SS318-12	25.62		
		SS318-14	55.16		
		SS318-16	42.53		
		SS318-20	69.76		
		SS318-24	105.67		
		SS318-32	184.14		
 <p>LOCKNUT</p>		 <p>37° TUBE SLEEVE</p>		 <p>(1) MALE PIPE (2) FEMALE PIPE SWIVEL</p>	
SS306-4	6.20	SS319-2	3.27	SS1501-4-4	87.46
SS306-5	13.23	SS319-3	3.27		
SS306-6	7.29	SS319-4	2.07		
SS306-8	9.76	SS319-5	3.20		
SS306-10	22.25	SS319-6	3.20		
SS306-12	27.11	SS319-8	5.80		
SS306-16	32.45	SS319-10	7.80		
SS306-20	85.36	SS319-12	10.56		
		SS319-14	41.22		
		SS319-16	20.93		
		SS319-20	37.71		
		SS319-24	56.07		
		SS319-32	139.89		


PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH
 <p>(1) 37° MALE (2) 37° MALE</p>		 <p>(1) 37° MALE (2) MALE PIPE</p>		 <p>(1) 37° MALE (2) FEMALE PIPE</p>	
SS2403-2-2	71.78	SS2404-2-2	18.58	SS2405-4-2	14.51
SS2403-4-4	14.73	SS2404-4-2	10.16	SS2405-4-4	20.40
SS2403-5-5	20.93	SS2404-4-4	12.67	SS2405-6-4	21.16
SS2403-6-4	51.44	SS2404-4-6	55.06	SS2405-6-6	31.53
SS2403-6-6	18.62	SS2404-4-8	51.47	SS2405-8-6	30.51
SS2403-8-4	51.91	SS2404-5-2	14.27	SS2405-8-8	50.74
SS2403-8-8	27.62	SS2404-5-4	55.82	SS2405-10-8	52.07
SS2403-10-4	100.47	SS2404-5-6	106.36	SS2405-12-12	78.31
SS2403-10-10	47.22	SS2404-6-2	17.93	SS2405-16-16	123.14
SS2403-12-12	71.94	SS2404-6-4	12.96	SS2405-16-20	357.29
SS2403-16-16	77.45	SS2404-6-6	16.85	SS2405-20-20	460.20
SS2403-20-20	190.78	SS2404-6-8	25.29		
SS2403-24-24	199.12	SS2404-6-8	25.29		
		SS2404-8-4	21.49		
		SS2404-8-6	20.93		
		SS2404-8-8	25.98		
		SS2404-8-12	50.00		
		SS2404-10-6	37.49		
		SS2404-10-8	33.60		
		SS2404-12-8	53.89		
		SS2404-12-12	51.42		
		SS2404-12-16	97.29		
		SS2404-16-12	69.42		
		SS2404-16-16	65.00		
		SS2404-16-20	273.22		
		SS2404-20-20	126.76		
		SS2404-24-24	168.03		
		SS2404-32-32	416.84		
				 <p>(1) 37° FEMALE (2) 37° MALE</p>	
				SS2406-6-4	24.20
				SS2406-8-6	35.20
				SS2406-10-8	112.07
				SS2406-12-8	71.71
				SS2406-12-10	73.40
				SS2406-16-12	106.29

PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH																																				
 <p>(1-2-3) 37° MALE</p> <table> <tr><td>SS2603-4</td><td>52.00</td></tr> <tr><td>SS2603-6</td><td>58.87</td></tr> <tr><td>SS2603-8</td><td>72.60</td></tr> <tr><td>SS2603-10</td><td>105.76</td></tr> <tr><td>SS2603-12</td><td>142.52</td></tr> <tr><td>SS2603-16</td><td>188.96</td></tr> <tr><td>SS2603-20</td><td>416.60</td></tr> <tr><td>SS2603-24-24</td><td>694.44</td></tr> </table>		SS2603-4	52.00	SS2603-6	58.87	SS2603-8	72.60	SS2603-10	105.76	SS2603-12	142.52	SS2603-16	188.96	SS2603-20	416.60	SS2603-24-24	694.44	 <p>(1) 37° MALE (2) 37° BULKHEAD</p> <table> <tr><td>SS2700-4-4</td><td>32.22</td></tr> <tr><td>SS2700-5-5</td><td>208.31</td></tr> <tr><td>SS2700-6-6</td><td>43.87</td></tr> <tr><td>SS2700-8-8</td><td>64.49</td></tr> <tr><td>SS2700-10-10</td><td>155.87</td></tr> <tr><td>SS2700-12-12</td><td>153.25</td></tr> <tr><td>SS2700-16-16</td><td>192.45</td></tr> <tr><td>SS2700-20-20</td><td>306.77</td></tr> <tr><td>SS2700-24-24</td><td>520.72</td></tr> </table>		SS2700-4-4	32.22	SS2700-5-5	208.31	SS2700-6-6	43.87	SS2700-8-8	64.49	SS2700-10-10	155.87	SS2700-12-12	153.25	SS2700-16-16	192.45	SS2700-20-20	306.77	SS2700-24-24	520.72	 <p>(1-2) 37° MALE (3) 37° BULKHEAD</p> <table> <tr><td>SS2703-6-6</td><td>132.43</td></tr> </table>		SS2703-6-6	132.43
SS2603-4	52.00																																								
SS2603-6	58.87																																								
SS2603-8	72.60																																								
SS2603-10	105.76																																								
SS2603-12	142.52																																								
SS2603-16	188.96																																								
SS2603-20	416.60																																								
SS2603-24-24	694.44																																								
SS2700-4-4	32.22																																								
SS2700-5-5	208.31																																								
SS2700-6-6	43.87																																								
SS2700-8-8	64.49																																								
SS2700-10-10	155.87																																								
SS2700-12-12	153.25																																								
SS2700-16-16	192.45																																								
SS2700-20-20	306.77																																								
SS2700-24-24	520.72																																								
SS2703-6-6	132.43																																								
 <p>(1-3) 37° MALE (2) MALE PIPE</p> <table> <tr><td>SS2605-4-4</td><td>71.78</td></tr> <tr><td>SS2605-6-4</td><td>49.65</td></tr> <tr><td>SS2605-6-6</td><td>103.67</td></tr> <tr><td>SS2605-8-6</td><td>86.40</td></tr> <tr><td>SS2605-8-8</td><td>133.47</td></tr> </table>		SS2605-4-4	71.78	SS2605-6-4	49.65	SS2605-6-6	103.67	SS2605-8-6	86.40	SS2605-8-8	133.47	 <p>(1) 37° MALE (2) 37° BULKHEAD</p> <table> <tr><td>SS2701-4-4</td><td>68.40</td></tr> <tr><td>SS2701-6-6</td><td>79.18</td></tr> <tr><td>SS2701-8-8</td><td>92.89</td></tr> </table>		SS2701-4-4	68.40	SS2701-6-6	79.18	SS2701-8-8	92.89	 <p>(1) FEMALE PIPE (2) 37° BULKHEAD</p> <table> <tr><td>SS2705-4-4</td><td>83.47</td></tr> <tr><td>SS2705-12-12</td><td>294.17</td></tr> <tr><td>SS2705-20-20</td><td>590.08</td></tr> </table>		SS2705-4-4	83.47	SS2705-12-12	294.17	SS2705-20-20	590.08														
SS2605-4-4	71.78																																								
SS2605-6-4	49.65																																								
SS2605-6-6	103.67																																								
SS2605-8-6	86.40																																								
SS2605-8-8	133.47																																								
SS2701-4-4	68.40																																								
SS2701-6-6	79.18																																								
SS2701-8-8	92.89																																								
SS2705-4-4	83.47																																								
SS2705-12-12	294.17																																								
SS2705-20-20	590.08																																								
 <p>(1-2-3-4) 37° MALE</p> <table> <tr><td>SS2650-4</td><td>69.38</td></tr> <tr><td>SS2650-6</td><td>76.49</td></tr> </table>		SS2650-4	69.38	SS2650-6	76.49																																				
SS2650-4	69.38																																								
SS2650-6	76.49																																								

PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH
 <p>(1) FEMALE PIPE (2) FEMALE PIPE</p>		 <p>(1) MALE PIPE (2) FEMALE PIPE</p>		 <p>MALE PIPE PLUG</p>	
SS5000-2-2	14.56	SS5405-2-4	18.18	SS5406-2P	6.71
SS5000-4-4	19.31	SS5405-4-4	16.33	SS5406-4P	8.49
SS5000-6-4	26.60	SS5405-4-6	27.22	SS5406-6P	12.16
SS5000-6-6	27.47	SS5405-4-8	40.18	SS5406-8P	20.00
SS5000-8-4	43.69	SS5405-6-8	35.20	SS5406-12P	29.11
SS5000-8-6	46.20	SS5405-8-8	67.60	SS5406-16P	50.69
SS5000-8-8	39.16	SS5405-8-12	63.65	SS5406-20P	269.82
SS5000-12-8	64.34			SS5406-32P	432.52
SS5000-12-12	59.45				
SS5000-16-12	115.25				
SS5000-16-16	107.71				
 <p>(1) MALE PIPE (2) MALE PIPE</p>		 <p>(1) MALE PIPE BUSHING (2) FEMALE PIPE</p>		 <p>COUNTERSUNK PIPE PLUG</p>	
SS5404-2-2	8.49	SS5406-4-2	11.24	SS5409-2	29.40
SS5404-4-2	13.82	SS5406-6-2	13.82	SS5409-4	22.07
SS5404-4-4	12.04	SS5406-6-4	14.27	SS5409-6	27.00
SS5404-6-2	18.07	SS5406-8-2	26.16	SS5409-8	42.06
SS5404-6-4	19.38	SS5406-8-4	19.16		
SS5404-6-6	16.73	SS5406-8-6	21.45		
SS5404-8-4	28.78	SS5406-12-4	32.33		
SS5404-8-6	29.58	SS5406-12-6	33.31		
SS5404-8-8	26.67	SS5406-12-8	32.49		
SS5404-12-8	38.36	SS5406-16-4	49.65		
SS5404-12-12	43.73	SS5406-16-6	51.20		
SS5404-16-12	81.58	SS5406-16-8	52.58		
SS5404-16-16	80.51	SS5406-16-12	54.51		
SS5404-24-24	125.12	SS5406-20-12	195.67		
		SS5406-20-16	195.67		


PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH
					
(1) MALE PIPE (2) MALE PIPE		(1) FEMALE PIPE (2) FEMALE PIPE		(1-2) FEMALE PIPE (3) MALE PIPE	
SS5500-2-2	26.38	SS5504-2-2	33.31	SS5604-4-4	54.76
SS5500-4-4	32.27	SS5504-4-4	40.47		
SS5500-6-6	49.25	SS5504-6-6	54.07		
SS5500-8-8	62.78	SS5504-8-8	71.09		
		SS5504-12-12	123.92		
		SS5504-16-16	253.72		
		SS5504-20-20	503.49		
					
(1) MALE PIPE (2) FEMALE PIPE		(1-2-3) MALE PIPE		(1-2-3) FEMALE PIPE	
SS5502-2-2	33.49	SS5600-4-4	44.31	SS5605-2-2	47.47
SS5502-4-4	41.96	SS5600-8-8	96.94	SS5605-4-4	50.91
SS5502-4-8	112.65			SS5605-6-6	73.96
SS5502-6-4	125.46			SS5605-8-8	106.91
SS5502-6-6	55.78			SS5605-12-12	171.14
SS5502-8-8	75.67			SS5605-16-16	296.17
SS5502-12-8	183.40				
SS5502-12-12	157.36				
SS5502-16-16	351.77				
					
(1) MALE PIPE (2) FEMALE PIPE		(1) MALE PIPE (2-3) FEMALE PIPE		(1-2-3-4) FEMALE PIPE	
SS5503-2-2	50.40	SS5602-4-4	51.82	SS5652-4	75.11
SS5503-4-4	60.89	SS5602-6-6	80.03	SS5652-6	113.63
		SS5602-8-8	120.56	SS5652-8	138.56
		SS5602-12-12	328.74		
		SS5602-16-16	488.71		

PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH
-----------------	------------------	-----------------	------------------	-----------------	------------------	-----------------	------------------




**(1) 37° MALE
(2) 37° FEMALE SWIVEL**

SS6500-4-4	29.47
SS6500-6-6	50.91
SS6500-8-8	76.76
SS6500-12-12	141.65
SS6500-16-16	225.72
SS6500-24-24	807.97




**(1) MALE PIPE
(2) 37° FEMALE SWIVEL**

SS6501-8-8	133.33
------------	--------




**(1) 37° MALE
(2) 37° FEMALE SWIVEL**

SS6502-4-4	58.94
SS6502-6-6	55.56
SS6502-8-8	95.11
SS6502-12-12	275.54




**(1) MALE PIPE
(2) 37° FEMALE SWIVEL**

SS6505-4-4	96.03
SS6505-6-8	127.00
SS6505-8-8	154.47
SS6505-12-12	215.34
SS6505-16-16	371.28
SS6505-20-20	473.13




**(1) FEMALE PIPE
(2) 37° FEMALE SWIVEL**

SS6506-4-4	148.18
SS6506-4-6	131.59
SS6506-8-8	184.22




**(1-2) 37° MALE
(3) 37° FEMALE SWIVEL**

SS6600-4-4	48.96
SS6600-6-6	62.31
SS6600-8-8	98.12



**(1-3) 37° MALE
(2) 37° FEMALE SWIVEL**


SS6602-4-4	48.96
SS6602-6-6	62.31
SS6602-8-8	98.31
SS6602-12-12	197.98
SS6602-16-16	346.78



**(1) 37° MALE
(2) MALE "O" RING**


SS6801-4-4	46.67
SS6801-4-6	67.42
SS6801-6-4	186.22
SS6801-6-6	50.80
SS6801-6-8	91.23
SS6801-8-6	91.23
SS6801-8-8	82.03
SS6801-8-12	220.30
SS6801-10-8	165.57
SS6801-10-10	170.21
SS6801-12-10	236.51
SS6801-12-12	156.34
SS6801-12-16	398.22
SS6801-16-12	348.52
SS6801-16-16	205.45
SS6801-20-20	385.82

PART NO.	LIST EACH	PART NO.	LIST EACH	PART NO.	LIST EACH
----------	-----------	----------	-----------	----------	-----------




**(1) 37° MALE
(2) MALE "O" RING**

SS6802-4-4	50.00
SS6802-6-6	65.25




**(1-2) ADJUSTABLE
"O" RING**

SS6807-16-16	596.75
--------------	--------



**(1-2) 37° MALE
(3) MALE "O" RING**

SS6803-6-6	89.65
SS6803-8-8	136.00
SS6803-10-10	536.29
SS6803-12-12	445.93



**(1-3) 37° MALE
(2) MALE "O" RING**

SS6804-4-4	72.58
SS6804-6-6	95.40
SS6804-8-8	148.18
SS6804-12-12	436.35
SS6804-16-16	589.44